

# Gosselin Catalog



**Fisher Scientific**

Part of Thermo Fisher Scientific



Quality products  
for reliable results

**GOSSSELIN™**

*A Corning Brand*

100

# CATALOG NUMBER CROSS REFERENCE

Fisher Scientific Cat. No.	Gosselin Cat. No.	Fisher Scientific Cat. No.	Gosselin Cat. No.
7-201-901	BB60-01	7-201-940	PC1000-05
7-201-902	BB64-02	7-201-941	PC125D-03
7-201-903	Bl93D-01	7-201-942	PC200A-02
7-201-904	Bl93D-02	7-901-943	PC200A-07
7-201-905	BP143-01	7-901-944	PC400-03
7-201-906	BP143-02	7-901-945	PC400-05
7-201-907	BP53-01	7-901-946	OS10-02
7-201-908	BP53-02	7-901-947	OS1-01
7-201-909	BP93B-15	7-901-948	OS10B-02
7-201-910	BP93D-01	7-901-949	OS1B-01
7-201-911	BP93D-51	7-901-950	OSM-01
7-201-912	BU96-01	7-201-808	P1000B-50
7-201-913	BB64-01	7-201-952	P1000B-11
7-201-914	SB93-03	7-201-805	P125B-50
7-201-915	BBAG-03	7-201-954	P125B-06
7-201-916	BBAG-04	7-201-955	P125B-08
7-201-917	FBAG-03	7-201-806	P250B-50
7-201-918	FBAG-04	7-201-957	P250B-06
7-201-919	SM1-01	7-201-807	P500B-50
7-201-920	SM2-01	7-201-959	P500B-12
7-201-921	SM3-01	7-201-960	P500B-31
7-201-922	EPl1B-01	7-201-961	SA03-01
7-201-923	EPl24B-01	7-201-962	SA03-05
7-201-924	EPl24B-02	7-201-963	SA09-01
7-201-925	EPl5-01	7-201-964	SA09-05
7-201-926	PAS1A-01	7-201-965	SA14-01
7-201-927	PAS3A-01	7-201-966	SA14-03
7-201-928	ETAR-01	7-201-967	SA21-01
7-201-929	ETAR-05	7-201-968	SA21-05
7-201-930	ETAT-04	7-201-969	SA33-01
7-201-931	FL100-05	7-201-970	SA33-03
7-201-932	FL300-04	7-201-971	TAF1-01
7-201-933	FL52-02	7-201-972	TAT30-01
7-201-934	FL60-04	7-201-973	TAT52-01
7-201-935	FL70-05	7-201-974	TAT53-02
7-201-936	TP35A-009	7-201-975	CFM-01
7-201-937	TP52-001	7-201-976	COUT-02
7-201-938	TP53-003	7-201-977	CUIG-01
7-201-939	PC1000-04	7-201-978	CUIP-01
		7-201-979	CLIP-01

# CONTENTS

## PETRI DISHES

Petri Dishes made of optical polystyrene . . . . .5

## BOTTLES

### Octagonal Bottles

PET Octagonal Bottles . . . . . 6

## CONTAINERS

Straight Containers . . . . . 8

Conical Containers . . . . . 9

## SAMPLING

Dippers with removable handle . . . . .10

Cutlery . . . . .10

Blender Bags . . . . . 11

Clip for bags . . . . . 11

## INOCULATION

### Pipets

Transfer pipets . . . . .12

Straw Pipets . . . . .12

Loops & Spreaders . . . . .13

## DISPOSAL

Autoclave Bags . . . . .14

TRACEABILITY LABEL . . . . .15

CHEMICAL PROPERTIES . . . . .16

TECHNICAL APPENDIX . . . . .18

# CORNING ANNOUNCES

## A new brand of labware optimized for quality controls.

**GOSELIN™**

*A Corning Brand*

Gosselin™, a pioneering brand of disposable labware for microbiology in Europe since 1965, is being introduced in North America by Corning.


### GOSELIN PRODUCTS OFFER:



▶ A complete range of products to meet your testing needs.

▶ Compliance with international quality standards:

- FDA registered
- Raw materials/resins, compliancy with (94/62/EC)
- ISO 9001: 2008 certified



▶ Easily accessible traceability features such as:

- Peelable labels with lot numbers, valid expiration date, and sterilization information to stick in your laboratory notebook
- Sterilization indicator on each case
- Certificates of Compliance available for download
- Laser marking of lot numbers and expiration date on select containers



▶ Clean room packaging and high sterility assurance levels at  $10^{-6}$  on many products.

# PETRI DISHES



- ▶ Wide range of petri dishes
- ▶ Leading European manufacturer of petri dishes
- ▶ Manufactured in a class 100 environment
- ▶ High quality control standard
- ▶ Optimized for automation



## Round petri dishes made of optical polystyrene

Gosselin Cat. No.	Feature	Diam. (mm)	H (mm)	Double outer bag	Sterile R SAL 10 <sup>-6</sup>	Packaging	Qty/ case
BP53-01	6 vents	60	15	No	No	15/Sleeve	1620
BP53-02	6 vents	60	15	No	Yes	15/Sleeve	1620



## Round domed petri dishes made of optical polystyrene

Gosselin Cat. No.	Feature	Diam. (mm)	H (mm)	Double outer bag	Sterile R SAL 10 <sup>-6</sup>	Packaging	Qty/ case
BB60-01	grid lid	65	15	Yes	Yes	20/Sleeve	720
BB64-01	4 vents / grid lid	65	15	Yes	Yes	20/Sleeve	720
BB64-02	4 vents / grid lid	65	15	Yes	No	20/Sleeve	720



## Round petri dishes made of optical polystyrene

Gosselin Cat. No.	Feature	Diam. (mm)	H (mm)	Double outer bag	Sterile R SAL 10 <sup>-6</sup>	Packaging	Qty/ case
Bl93D-01	3 vents/ 2 compartments	100	15	Yes	No	33/Sleeve	825
Bl93D-02	3 vents/ 2 compartments	100	15	Yes	Yes	33/Sleeve	825
BP93B-15	3 vents	100	15	Yes	No	33/Sleeve	825
BP93B-16	3 vents	100	15	Yes	Yes	33/Sleeve	825
BP93D-01	3 vents	100	15	Yes	No	33/Sleeve	825
BP93D-51	3 vents	100	15	Yes	Yes	20/Sleeve	500
SB93-01	3 vents	100	15	No	No	33/Sleeve	825
SB93-03	3 vents	100	15	No	Yes	33/Sleeve	825

## Round petri dishes made of optical polystyrene

Gosselin Cat. No.	Feature	Diam. (mm)	H (mm)	Double outer bag	Sterile R SAL 10 <sup>-6</sup>	Packaging	Qty/ case
BP143-01	3 vents	150	15	No	No	11/Sleeve	176
BP143-02	3 vents	150	15	No	Yes	11/Sleeve	176

 Frosted Area

# PET OCTAGONAL BOTTLES

























125 mL -> 1000 mL



Example of use :  
microbiological media  
packaging...

- ▶ Polyethylene terephthalate bottles
- ▶ Unbreakable
- ▶ Molded graduations
- ▶ Ergonomic
- ▶ Leakproof closure system in HDPE
- ▶ Transparent as glass

## PET Octagonal bottles









Cat. No.	Volume (mL)	A (mm)	B (mm)	C (mm)	Cap type	Qty/case	Sterile SAL 10 <sup>-3</sup>
P125B-50	125	105	53	32	 	231	✓
P250B-50	250	132	64	32	 	162	✓
P500B-50	500	173	76	32	 	80	✓
P1000B-50	1000	212	96	32	 	48	✓
P125B-06	125	105	53	32	 	336	✓
P250B-06	250	132	64	32	 	192	✓
P500B-12	500	173	76	32	 	120	✓
P1000B-11	1000	212	96	32	 	48	✓
P125B-08	125	105	53	32	 	336	✓
P250B-03	250	132	64	32	 	192	✓
P500B-31	500	173	76	32	 	120	✓
P1000B-03	1000	212	96	32	 	48	✓



 Bulk packed     Tray filmed pack     Filmed pack



Tray filmed pack with  
traceability label

## PET Octagonal bottles - non assembled

Cat. No.	Volume (mL)	A (mm)	B (mm)	C (mm)	Cap type	Qty/case	Sterile
P125B-05	125	105	53	32	 	191	-
P250B-01	250	132	64	32	 	112	-
P500B-09	500	170	76	32	 	82	-
P1000B-06	1000	212	96	32	 	60	-



**A** : Height with cap  
**B** : Width of bottle  
**C** : Internal diameter of neck



Tamper-evident screw cap  
with inner lip



# OCTAGONAL BOTTLES



P1000B-11 with natural cap



Tamper-evident screw cap



Watertight and Airtight

## FILMED PACK

DOUBLE OUTER BAG

(clean room facilities)

P250B-08  
250 mL



24 pieces / pack

P250B-03  
250 mL




24 pieces / pack

P500B-31  
P500 mL




12 pieces / pack

P1000B-03  
1000 mL



12 pieces / pack

A : Height with cap  
B : Width of bottle  
C : Internal diameter of neck




# STRAIGHT CONTAINERS



- ▶ Auto-stable hinged cap
- ▶ Adequate volume for milk sampling
- ▶ Shock resistant
- ▶ Sterile 10<sup>-3</sup>

## Natural polypropylene straight containers with hinged cap



Auto-stable cap

Gosselin Cat. No.	Volume (mL)	H (mm)	Diam. (mm)	Packaging	Qty/case
FL52-02	45	85	29	Bulk	650
FL60-04	50	78	31	Bulk	650
FL70-05	70	80	35	Bulk	800
FL100-05	90	80	43	Bulk	350
FL300-04	300	88	75	Bulk	240

  Hinged and pierceable cap



- ▶ Red polyethylene cap
- ▶ Leakproof screw cap
- ▶ From 60 to 180 mL
- ▶ Sterile 10<sup>-6</sup>

## Clear polypropylene straight containers

Gosselin Cat. No.	Volume (mL)	H (mm)	Diam. (mm)	Packaging	Qty/case
TP35A-009	60	70	33	100/Pack	700
TP52-001	128	74	52	Bulk	380
TP53-003	180	102	52	Bulk	264



# CONICAL CONTAINERS

- ▶ Molded graduations
- ▶ Highly shock resistant
- ▶ Sterile 10<sup>-3</sup>

## Natural polypropylene conical containers



Gosselin Cat. No.	Volume (mL)	H (mm)	Diam. (mm)	Packaging	Qty/case
PC200A-02	200	88	62	Bulk	220
PC400-03	400	100	85	Bulk	185
PC1000-05	1000	130	105	Bulk	80

## White polypropylene conical containers



Gosselin Cat. No.	Volume (mL)	H (mm)	Diam. (mm)	Packaging	Qty/case
PC200A-07	200	88	62	Bulk	220
PC400-05	400	100	85	Bulk	185
PC1000-04	1000	130	105	Bulk	80


■ Snap cap

# DIPPERS WITH REMOVABLE HANDLE



- ▶ Polypropylene blue containers
- ▶ Removable handle
- ▶ Shock resistant
- ▶ Packaged individually in tamper evident single Zip bags
- ▶ Traceability information on each bag
- ▶ Sterile 10<sup>-3</sup>

## Polypropylene dippers with removable handle



Gosselin Cat. No.	Capacity (mL)	A (mm)	B (mm)	Diam. (mm)	Packaging	Qty/case
TAT30-01	40	70	275	30	1/Pack	250
TAF1-01	90	80	290	43	1/Pack	150
TAT52-01	125	74	275	52	1/Pack	100
TAT53-02	180	102	305	52	1/Pack	100

Screw cap   
  Hinged cap

# CUTLERY



- ▶ Complete range
- ▶ Packaged individually in tamper evident single bags
- ▶ Traceability on each bag
- ▶ Sterile 10<sup>-3</sup>

## Polystyrene cutlery

Gosselin Cat. No.	Product Description	Color	Length (mm)	Packaging	Qty/case
CUIP-01	Small Spoon 2 mL	White	125	1/Pack	1000
CUIG-01	Large Spoon 8 mL	White	150	1/Pack	1000
COU-02	Knife	White	175	1/Pack	1000
CFM-01	Multifunction Cutlery	White	180	1/Pack	500

# BLENDER BAGS



- ▶ Universal bags
- ▶ Ideal for homogenous suspension
- ▶ Ideal for suspension sampling with pipets
- ▶ Lot number on each filter bag
- ▶ Non-woven filter for stronger filtration power
- ▶ Sterile 10<sup>-3</sup>



## Polyethylene blender bags without filter

Gosselin Cat. No.	Capacity (mL)	Height (mm)	Width (mm)	Packaging	Qty/case
SM1-01	80	150	105	25 Bags/Pack; 60 Packs/Box; 3 Boxes/Case	4500
SM2-01	400	300	180	50 Bags/Pack; 10 Packs/Box; 5 Boxes/Case	2500
SM3-01	3500	510	380	25 Bags/Pack; 4 Packs/Box; 5 Boxes/Case	500



## Polyethylene blender bags with side filter

Gosselin Cat. No.	Capacity (mL)	Height (mm)	Width (mm)	Packaging	Qty/case
BBAG-03	400	300	190	25 Bags/Pack; 20 Packs/Box; 3 Boxes/Case	1500
BBAG-04	400	300	190	50 Bags/Pack; 10 Packs/Box; 3 Boxes/Case	1500



## Polyethylene blender bags with full filter

Gosselin Cat. No.	Capacity (mL)	Height (mm)	Width (mm)	Packaging	Qty/case
FBAG-03	400	300	190	25 Bags/Pack; 20 Packs/Box; 3 Boxes/Case	1500
FBAG-04	400	300	190	50 Bags/Pack; 10 Packs/Box; 3 Boxes/Case	1500



## Clip for bags

Gosselin Cat. No.	Product color	Height (mm)	Packaging	Qty/case
CLIP-01	Blue/White	300	50 Clips/Pack; 4 Packs/Box; 5 Boxes/Case	1000

# PIPETES



- ▶ Decrease cross contamination risks using disposable pipets
- ▶ Metric graduations on transfer pipets
- ▶ Transfer pipets are packaged in peelable bags
- ▶ Straw pipets are packaged individually in tamper evident single Zip bags
- ▶ Product traceability on each bag
- ▶ Straw pipets are sterile 10<sup>-3</sup>



## Polyethylene transfer pipets

Gosselin Cat. No.	Capacity (mL)	Length (mm)	Packaging	Qty/case
PAS1A-01	1	150	200 Packs/Box; 10 Boxes/Case	2000
PAS3A-01	3	150	200 Packs/Box; 10 Boxes/Case	2000



## Polypropylene straw pipets

Gosselin Cat. No.	Capacity (mL)	Length (mm)	Packaging	Qty/case
EPI1B-01	1	190	25 Pipets/Pack; 40 Packs/Box; 12 Boxes/Case	12000
EPI1B-05	1	150	100 Pipets/Pack; 10 Packs/Box; 12 Boxes/Case	12000
EPI24B-01	2.2	240	25 Pipets/Packs; 240 Packs/Case	6000
EPI24B-02	2.2	240	50 Pipets/Packs; 120 Packs/Case	6000
EPI5-01	5	187	10 Pipets/Pack; 30 Packs/Box; 12 Boxes/Case	3600

# LOOPS & SPREADERS



- ▶ Complete range of products from spreaders to inoculating loops
- ▶ Highly ergonomic
- ▶ Color coded for easy identification
- ▶ Sterile 10<sup>-3</sup>
- ▶ Traceability on each bag



## Polystyrene loops

Gosselin Cat. No.	Capacity (µl)	Color	Length (mm)	Packaging	Qty/case
OS1B-01	1	White	195	20 Loops/Pack; 150 Packs/Box; 3 Boxes/Case	9000
OS10B-02	10	Blue	195	20 Loops/Pack; 150 Packs/Box; 3 Boxes/Case	9000
OS1-01	1	Natural	192	20 Loops/Pack; 150 Packs/Box; 3 Boxes/Case	9000
OS10-02	10	Blue	194	20 Loops/Pack; 150 Packs/Box; 3 Boxes/Case	9000
OSM-01	1 / 10	Green	195	20 Loops/Pack; 150 Packs/Box; 3 Boxes/Case	9000

Spherical extremity
  Needle extremity
  Mixed extremity



## Polystyrene spreaders

Gosselin Cat. No.	Color	Length (mm)	Shape	Packaging	Qty/case
ETAR-01	White	148	L	25 Spreaders/Pack; 40 Packs/Box; 5 Boxes/Case	5000
ETAR-05	White	148	L	50 Spreaders/Pack; 24 Packs/Box; 5 Boxes/Case	6000
ETAT-04	Green	150	T	25 Spreaders/Pack; 28 Packs/Box; 5 Boxes/Case	3500

# AUTOCLAVE BAGS



- ▶ The safe way to autoclave your contaminated products
- ▶ Wide range of volumes
- ▶ Each bag is 40 µm thick

## Autoclave bags


Gosselin Cat. No.	Capacity (L)	Height (mm)	Width (mm)	Material	Packaging	Qty/case
SA03-01	3	400	255	PP	Bulk	500
SA03-05	3	400	255	HDPE	25/Roll	1000
SA09-01	9	500	300	PP	Bulk	500
SA09-05	9	500	300	HDPE	25/Roll	750
SA14-01	14	600	400	PP	Bulk	500
SA14-03	14	600	400	HDPE	25/Roll	450
SA21-01	21	780	400	PP	Bulk	500
SA21-05	21	780	400	HDPE	25/Roll	400
SA33-01	33	780	600	PP	Bulk	500
SA33-03	33	800	500	HDPE	25/Roll	500

- Printed biohazard logo - Thermal Resistance 249.8 °F or 121°C
- No logo printed - Thermal Resistance 273.2°F or 134°C

# TRACEABILITY LABELS

All Gosselin™ products come with convenient traceability features such as labels with lot number and expiration date. These labels easily peel-off and can be placed in your laboratory notebook.


## PEELABLE STERILIZATION CERTIFICATE ON OUTSIDE OF EACH CASE



- 1 Sterilization indicator : becomes red after sterilization
- 2 Product information : reference, lot number
- 3 Sterilization information : date, carton number
- 4 Detachable certificate (for your records)
- 5 Sterilization information remain on the carton

## PRODUCT LABEL

Product label on outside of each case clearly displays traceability information.



- 1 Product descriptions in multiple languages
- 2 Product code
- 3 Quantity per case and per inner pack
- 4 Lot number
- 5 Single use symbol
- 6 Year, day, time of production and case number
- 7 Expiration date
- 8 Bar codes

# CHEMICAL PROPERTIES

REAGENTS	HDPE		PS		PP		LDPE		PET	
	20° C	50° C	20° C	50° C	20° C	50° C	20° C	50° C	20° C	50° C
	68°F	122°F	68°F	122°F	68°F	122°F	68°F	122°F	68°F	122°F
Perchloric acid	😊	😡	😊	😞	😊	😡	😊	😡	😞	😞
Phosphoric acid 85 %	😊	😊	😊	😊	😊	😊	😊	😊	😞	😞
Sulphuric acid 20 %	😊	😊	😊	😊	😊	😊	😊	😊	😡	😡
Trichloroacetic acid	😊	😞	😞	😡	😊	😊	😊	😞	😞	N/A
Butyl alcohol	😊	😊	😊	😊	😊	😊	😊	😊	😊	😊
Ethyl alcohol	😊	😊	😞	😡	😊	😊	😊	😊	😊	😊
Methyl alcohol	😊	😊	😞	😡	😊	😊	😊	😊	😊	😞
Acetaldehyde	😊	😞	😡	😡	😊	😡	😊	😡	😞	😡
Aniline	😊	😊	😞	😞	😊	😞	😊	😊	😊	😞
Benzene	😊	😊	😡	😡	😊	😞	😊	😡	😞	😡
Potassium bichromate	😊	😊	😊	😊	😊	😊	😊	😊	😞	N/A
Bromine	😞	😡	😡	😡	😡	😡	😡	😡	😡	😡
Bromoform	😡	😡	😡	😡	😡	😡	😡	😡	😡	😡
Butadiene	😞	😡	😡	😡	😡	😡	😡	😡	😡	😡
Cellosolve	😊	😊	😞	😞	😊	😊	😊	😊	N/A	N/A
Chlorine (moist)	😊	😞	😡	😡	😊	😡	😊	😡	😡	😡
Chlorine in air	😊	😞	😞	😡	😊	😡	😊	😡	😡	😡
Chloroform	😊	😞	😡	😡	😊	😞	😞	😡	😡	😡
Amyle chloride	😞	😡	😡	😡	😡	😡	😡	😡	😡	😡
Ethylene chloride	😊	😞	😡	😡	😞	😡	😊	😡	😡	😡
Ethyl chloride	😞	😞	😡	😡	😞	😡	😞	😡	😡	😡
Methylene chloride	😊	😞	😡	😡	😞	😡	😞	😡	😡	😡
Thionil chloride	😡	😡	😡	😡	😡	😡	😡	😡	😡	😡
Cresol	😞	😡	😡	😡	😊	😞	😡	😡	😡	😡
Cyclohexane	😊	😊	😡	😡	😊	😞	😊	😞	😊	N/A
P-dihlorobenzene	😊	😞	😡	😡	😊	😞	😞	😡	😞	😞
Dioxane	😊	😊	😡	😡	😊	😞	😊	😞	😊	😊
Hydrogen peroxyde	😊	😊	😊	😊	😊	😊	😊	😊	😊	😊
Gasoline	😊	😊	😡	😡	😊	😞	😞	😡	😊	😊
Petroleum ether	😞	😡	😞	😞	😊	😞	😞	😡	😊	😊
Ethyl ether	😡	😡	😡	😡	😡	😡	😞	😡	😊	😊
Formaldehyde	😊	😊	😊	😊	😊	😊	😊	😊	😊	😊
Hexane	😊	😊	😡	😡	😊	😊	😊	😊	😊	😊
Mineral oil	😊	😊	😊	😊	😊	😊	😊	😡	😊	😊
Calcium hypochloride	😊	😊	😊	😞	😊	😊	😊	😊	😊	😊
Sodium hypochloride	😊	😊	😊	😊	😊	😊	😊	😊	😊	N/A
Kerosene	😊	😊	😡	😡	😊	😞	😞	😡	😊	😊
Methyl isobutyl ketone	😊	😊	😡	😡	😊	😞	😊	😞	😊	😞
Silver nitrate	😊	😊	😊	😞	😊	😊	😊	😞	😊	😊
Ethylene oxyde	😞	😞	😡	😡	😞	😞	😊	😞	N/A	N/A
Potassium permanganate	😊	😊	😊	😊	😊	😊	😊	😊	😊	😊
Phenol	😊	😞	😡	😡	😊	😡	😊	😡	😡	😡
Propane	😞	😡	😡	😡	😡	😡	😡	😡	😞	😡
Turpentine	😊	😊	😡	😡	😊	😞	😞	😡	😊	😊
Carbon tetrachloride	😊	😞	😡	😡	😊	😞	😞	😡	😊	😊
Tetrahydrofuran	😊	😞	😡	😡	😊	😞	😞	😡	😡	😡

CHEMICAL PROPERTIES



# CHEMICAL PROPERTIES

REAGENTS	HDPE		PS		PP		LDPE		PET	
	20° C 68°F	50° C 122°F	20° C 68°F	50° C 122°F	20° C 68°F	50° C 122°F	20° C 68°F	50° C 122°F	20° C 68°F	50° C 122°F
	Sim-trichloroéthane	☹️	☹️	☹️	☹️	☹️	☹️	☹️	☹️	☹️
Trichloroethylene	☹️	☹️	😊	😊	☹️	☹️	☹️	☹️	☹️	☹️
Toluene	😊	😊	☹️	☹️	😊	😊	😊	☹️	😊	☹️
Urea	😊	😊	😊	😊	😊	😊	😊	😊	😊	😊
Xylene	😊	😊	☹️	☹️	😊	☹️	😊	☹️	☹️	☹️

- 😊 No etching
- 😊 Good after 30 days contact
- 😊 Fair, after 7 days contact
- ☹️ Not recommended

CHEMICAL PROPERTIES

REAGENTS (20°C - 68°F)	HDPE	PS	PP	LDPE	PET
Weak or diluted acids	😊	😊	😊	😊	😊
Strong or concentrated acids	😊	😊	😊	😊	☹️
Aliphatic alcohols	😊	😊	😊	😊	😊
Aldehydes	😊	☹️	😊	😊	😊
Bases	😊	😊	😊	😊	☹️
Esters	😊	☹️	😊	😊	😊
Aliphatic hydrocarbons	😊	☹️	😊	😊	😊
Aromatic hydrocarbons	😊	☹️	😊	😊	☹️
Halogenated hydrocarbons	😊	☹️	😊	☹️	☹️
Cetane	😊	☹️	😊	😊	😊
Oxidizing agents	😊	☹️	😊	😊	😊

- 😊 No etching after 30 days exposure
- 😊 Little etching after 30 days exposure
- 😊 Some traces of etching after 7 days exposure
- ☹️ Immediate etching, not recommended

# TECHNICAL APPENDIX

MATERIALS	CHARACTERISTICS	AUTOCLAVABLE	OPTICAL QUALITY AND ASPECT	TEMPERATURE OF USE
POLYSTYRENE <b>PS</b>	Hard, brittle	No	Transparent	-40°C -40°F      +65°C +149°F
POLYPROPYLENE* <b>PP</b>	Flexible to rigid, good mechanical resistance, high chemical resistance	Yes	Translucent	-20°C -4°F      +120°C +248°F
POLYPROPYLENE COPOLYMER <b>PPCO</b>	Flexible to rigid, good mechanical resistance, high chemical resistance	Yes	Translucent	-40°C -40°F      +120°C +248°F
HIGH DENSITY POLYETHYLENE <b>HDPE</b>	Flexible, high mechanical resistance	No	Translucent to opaque	-80°C -112°F      +120°C +248°F
LOW DENSITY POLYETHYLENE <b>LDPE</b>	Flexible, very good mechanical resistance	No	Translucent to opaque	-80°C -112°F      +75°C +167°F
POLYETHYLENE TEREPHTHALATE <b>PET</b>	Hard, unbreakable, very good mechanical resistance	No	Transparent	-40°C -40°F      +50°C +122°F

\*Storage of polypropylene in negative celsius temperature weakens the product. Please handle with care.



Complete product traceability thanks to a laser marking of lot number and expiration date on our 60 mL (TP35A) containers.

# THE CORNING FAMILY OF BRANDS

In addition to the Gosselin products for microbiology testing, Corning offers some of the most reputable brands in the life sciences industry: Corning®, PYREX®, Costar®, Axygen® and Corning cellgro®. With over 110 years of experience, we can offer our customers a proven track record of customer service and innovation to support their research efforts. We are fully committed to the three core pillars of our brands; quality, innovation and service.

## CORNING

In addition to being a global leader in consumable plastic laboratory tools for life science research, Corning continues to lead the way in developing innovative solutions for cell culture such as the HYPERFlask® Cell Culture Vessel for increased cell yields and novel surfaces such as Corning Synthemax™ for culturing stem cells, Corning Osteo Assay Surface for osteogenesis research and the Corning® CellBIND® Surfaces for enhanced assay performance.



The Costar brand of products for life sciences includes serological pipettes, cell culture microplates, Transwell® permeable supports, multi-channel pipettors and many more products to meet your research needs.

## CORNING | cellgro®

The new Corning cellgro brand for media, sera and solutions offers a full line of standard and custom solutions for cell culture, cell therapy and bioprocess. Products include mammalian and cell culture media, salt solutions, antibiotics, supplements and reagents, dissociation products, sera, molecular biology products and a wide variety of container types and sizes.

## PYREX®

For over 90 years Corning has developed special glass for use in both chemical and life science laboratories. PYREX glassware is made from Type 1, Class A low expansion borosilicate glass that has become the accepted standard in chemistry labs across the globe.



Through continuous new product innovation, Axygen brings new standards to sample handling, delivery and storage; improving the way research is done in the laboratory today. Axygen offers a complete range of disposable tips from manual through to automation, as well as a range of High Throughput Screening plates and PCR storage products.



Gosselin™, a pioneering brand of disposable labware in Europe since 1965, is being introduced in North America by Corning.



**In the United States:**  
For customer service, call 1-800-766-7000.  
To fax an order, use 1-800-926-1166.  
To order online: [www.fishersci.com](http://www.fishersci.com)

**In Canada:**  
For customer service, call 1-800-234-  
To fax an order, use 1-800-463-2996.  
To order online: [www.fishersci.ca](http://www.fishersci.ca)